

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
26 July 2001 (26.07.2001)

PCT

(10) International Publication Number
WO 01/54026 A1(51) International Patent Classification⁷: G06F 17/60

(21) International Application Number: PCT/US01/01688

(22) International Filing Date: 18 January 2001 (18.01.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/484,958 18 January 2000 (18.01.2000) US(71) Applicant (for all designated States except US): FIRST
DATA CORPORATION [US/US]; 401 Hackensack Av-
enue, Hackensack, NJ 07601 (US).


(72) Inventors; and

(75) Inventors/Applicants (for US only): KAMBOUR, David,

Gregg [US/US]; 6067 NW 77th Drive, Parkland, FL 33067
(US). MARCZYK, Christopher [US/US]; 10941 NW 6th
Court, Plantation, FL 33324 (US). MYERS, William, An-
thony [US/US]; 15 Shenandoah Boulevard, Coram, NY
11727 (US).(74) Agents: DIAMOND, Konstantine, J. et al.; Brooks &
Kushman, 22nd Floor, 1000 Town Center, Southfield, MI
48075 (US).(81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

[Continued on next page]

(54) Title: METHOD FOR REDUCED COST DEBIT PROCESSING



(57) Abstract: A method is provided for processing debit transactions at the lowest cost (see Figure 1/Figure 2). The method includes providing a merchant network list from at least one merchant database (12) based upon the match of customer identification number and creating a merchant-customer network list by matching at least one common element from the merchant network list and the customer list. Then the system determines the validity for each common element of the merchant-customer network list and eliminates each invalid common element from the merchant-customer network list. Then the system sorts the elements of the merchant-customer network list based on network fee and communicates with a routing and processing database to determine the routing and processing method for each merchant-customer element. Finally, the system applies the lowest cost element for routing and processing a debit transaction.

WO 01/54026 A1

WO 01/54026 A1

patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *with international search report*

WO 01/54026

PCT/US01/01688

METHOD FOR REDUCED COST DEBIT PROCESSING

TECHNICAL FIELD

The present invention relates to a method for routing of debit processing in a customer merchant environment based on lowest cost.

5

BACKGROUND ART

Today, approximately 350 billion coin and currency transactions occur between individuals and institutions every year. The extensive use of coin and currency transactions has limited the automation of individual transactions such as purchases, fares, and bank account deposits and withdrawals. Individual cash transactions are burdened by the need of having the correct amount or providing change therefor. Furthermore, the handling, and managing (including guarding) of paper cash and coins is inconvenient, costly and time consuming for both individuals and financial institution alike. It is estimated that in the United States alone, \$60 billion dollars a year is spent by money handlers simply to move money. In addition, the security of paper money is seriously threatened by the relative ease of counterfeiting using, for example, widely accessible, high quality color copiers.

Although checks may be written for any specific amount up to the amount available in the account, checks have very limited transferability and must be supplied from a physical inventory. Paper-based checking systems do not offer sufficient relief from the inherent delays associated with processing checks. To this end, economic exchange has striven for greater convenience at a lower cost, while also seeking improved security.

Automation has achieved some of these qualities for large transactions through computerized electronic funds transfer ("EFT") systems. Electronic funds transfer is essentially a process of value exchange achieved through the banking system's centralized computer transactions. EFT services are a transfer of payments

WO 01/54026

PCT/US01/01688

utilizing electronic "checks," which are used primarily by large commercial organizations.

5 The Automated Clearing House (ACH) and point of sale (POS) systems are examples of electronic funds transfer systems that have become used by retail and commercial organizations on a substantial basis in recent years. However, the payments made through these types of EFT systems are limited in that they cannot be performed without the banking system. Moreover, ACH transactions usually cannot be performed during off business hours.

10 Due to increased commerce, the cost and volume of commercial transactions have become a concern for merchants, debit processors, and customers. In performing commercial transactions and debit processing, merchants have several debit processors and methods of processing to choose from. However, merchants are provided with little flexibility in changing their debit processing methods. Current options for debit processing include: (1) the merchant relying on a third
15 party to route all debit processing transactions; or (2) the merchant manually changing the debit processing method. Where merchants rely on a third party to route and handle their debit transactions, a merchant has little to no control over the routing methods or the costs involved. Should a merchant attempt to handle the routing of the debit processing, the merchant must manually change the routing
20 method to suit its needs. However, the merchant stands to lose a great amount of time and money due to the inefficiency of changing its debit processing system.

Where merchants rely on third parties to handle their debit processing transactions, third party providers are not capable of providing multi-level routing or systemic low cost routing. For example, several debit platforms of today route
25 all debit transactions to third party provider and allow routing to be based purely on a match between the transaction and the debit processor with no regard to cost issues.

Furthermore, merchants today are not offered alternative methods to process their debit transactions where a primary network is unavailable. The

WO 01/54026

PCT/US01/01688

transaction is merely aborted and the merchant must make an additional attempt to process the transaction. This inefficiency creates customer dissatisfaction and limits the merchant's availability to conduct business.

- 5 Consequently, a need has developed for a system and method for routing debit processing transactions which routes transactions based on lowest cost and provides merchants with automatic alternatives when a debit processing network is unavailable.

DISCLOSURE OF INVENTION

- 10 It is an object of the present invention to overcome the limitations of the prior art by providing a method for routing debit processing transactions based on lowest cost.

It is also an object of the present invention to overcome the limitations of the prior art by providing a debit processing method which sorts available debit networks based on lowest cost.

- 15 It is yet another object of the present invention to provide merchants with a method for routing debit processing transactions which routes transactions based on lowest cost.

It is another object of the present invention to provide merchants with automatic alternatives when a debit processing network is unavailable.

- 20 It is yet another object of the present invention to shorten the processing and routing time for debit transactions.

Still another object of the present invention is to provide merchants with a means to automatically re-route otherwise invalid transactions.

WO 01/54026

PCT/US01/01688

In accordance with the invention, a method for routing and processing debit transactions is provided which include the steps of a method for processing debit transactions at the lowest cost available, the method comprising the steps of providing a merchant identification number and a customer account number;

5 matching the merchant identification number against at least one merchant database; providing a merchant network list from the at least one merchant database based upon the match of the merchant identification number; providing a customer network list from the at least one merchant database based upon the match of customer identification number; creating a merchant-customer network list by matching at least

10 one common element from the merchant network list and the customer network list; determining the validity for each common element of the merchant-customer network list; eliminating each invalid common element from the merchant-customer network list; sorting the elements of the merchant-customer network list based on network fee; communicating with a routing and processing database to determine the routing

15 and processing method for each merchant customer element; and applying the lowest cost element for routing and processing a debit transaction.

Still more particularly, it is an object of the present invention to provide a bank identification number file which includes a BIN number, an account number length, and a debit network list.

20 BRIEF DESCRIPTION OF DRAWINGS

FIGURES 1 and 2 are block diagrams of the method steps of the present invention; and

25 FIGURE 3 is a diagram illustrating the system which employs the method steps of the present invention.

BEST MODE FOR CARRYING OUT THE INVENTION

With reference to FIGURE 1, the method of the present invention is illustrated. The first step of this method requires an inquiry on behalf of the system

WO 01/54026

PCT/US01/01688

to determine whether a merchant number is valid. The merchant number is inputted into the system either automatically or manually. The merchant number may constitute a 16 byte number which uniquely identifies a merchant or merchant location. In determining whether the merchant number is valid, the system 8
5 compares the merchant number with the merchant number file 12. If the merchant number file 12 shows that the merchant number is flagged for lowest cost routing analysis then the system applies the present invention to the merchant transaction.

The merchant number file 12 includes the following records: (1) the merchant number; (2) a debit network list; (3) a transaction type list; and (4) a
10 lowest cost routing (LCR) flag. The debit network list is a 13 byte record which is comprised of a list of debit networks that the identified merchant is capable of processing. The transaction type list is a 15 byte record which is a list of transaction types which the merchant is capable of processing. The LCR flag indicates whether lowest cost routing should be performed for the identified
15 merchant.

Once the merchant has been identified as a candidate for the application of lowest cost routing 14, a merchant network list 16 is created by matching the merchant identification number with the networks in the merchant network priority file 18. Occasionally, however, a merchant network list may be
20 provided by the merchant and communication with the merchant network priority file is not necessary. The merchant network list 16 consists of those networks which are valid for the identified merchant.

The system 8 then matches 21 the account number for the customer against the account number length records and bank identification numbers (BINs)
25 in a BIN file 20. The BIN file 20 contains the following records: (1) BIN; (2) Account Number Length; and (3) Debit Network List. The BIN is usually a 12 byte record which identifies the banking institution. The account number length may be a 3 byte record which identifies the length of account numbers associated with the identified BIN. The Debit Network List constitutes a list of debit networks that will
30 process account numbers associated with the identified BIN.

WO 01/54026

PCT/US01/01688

Once the corresponding account number length and BIN are matched with the records of the BIN file 20, a debit network list 22 which corresponds to the identified BIN is created. The present invention then performs a logical set intersection 23 of the debit network list 22 and the merchant network list 16 to create
5 a merchant-customer network list 24. The merchant-customer network list 24 is comprised of the common elements of the merchant network list 16 and the debit network list 22.

With reference to FIGURE 2, the present invention then matches the transaction against each network in the merchant-customer network list 24 and
10 compares the information to a network information file 28 to determine whether the transaction could be processed under each network listed in 24. If the transaction is not compatible with the network listed, the network is eliminated from the merchant-customer network list 24.

The system then inquires whether the lowest cost routing option is
15 active for the particular merchant 30. This determination turns on the LCR flag which resides in the merchant number file 12 as previously defined. In the event that an LCR flag is present and indicates that the merchant is a candidate for lowest cost routing, the merchant-customer network list 24 is sorted 32 according to the network fee or processing fee.

20 Subsequently, a pseudo terminal number is determined for each network in the sorted merchant-customer network list 34 by matching 33 the networks in the sorted list 34 to the network pseudo terminal file 36. The network pseudo terminal file 36 is a file that a particular debit network assigns to a particular merchant. The pseudo terminal file includes the pseudo terminal number, network
25 identifier, and merchant number. The pseudo terminal number (11 bytes) is an identifier used by a particular network for the individual merchant. The network identifier (3 bytes) is an identifier representing a single debit network. The merchant number (16 bytes) is a number which uniquely identifies the merchant or merchant location.

WO 01/54026

PCT/US01/01688

After the pseudo terminal number is determined for each network of the sorted merchant-customer network list 34, a fourth list called the Generic Internal Message list (GIM) Association 38 is populated 39 with the first five networks in the sorted merchant-customer network list 34.

5 The transaction is then processed 45 through the lowest cost network in 38. Where the transaction cannot go through, the transaction is automatically routed to the next lowest cost network as provided in the GIM list 38. This feature significantly differs from the prior art in that the entire transaction was normally aborted and re-started where a network was not available to process a transaction.

10 With reference to Figure 3, the system employing the method steps of the present invention is illustrated. As shown, the Merchant Processors 50, 52, Dial Terminals 58, 60 and the Merchant Host 67 are in communication with the switches 54, 56. The Dial Terminals 58, 60 are devices which allow a merchant to provide financial transaction data to the transaction processor. Some merchants
15 employ a host-based system which handles their financial transactions. In that case, the merchant's host 67 may communicate with the switch 54, 56.

 The switch determines whether the financial transaction is a debit or credit transaction and routes the transaction to the appropriate location. For example, where the transaction involves debit processing, the transaction is routed
20 to the one of the Local Area Networks (LAN's) 62, 64 and their corresponding gateways 66, 68. In another example, where the transaction involves credit card processing, the transaction is routed to the appropriate issuer (i.e. Visa, Mastercard, etc.). The merchant host 67 communicates with at least one LAN 62, 64. The LANS 62, 64 are also in communication with the gateways 66, 68.

25 The Local Area Networks (LAN) 62, 64 are also in communication with encryption devices 70, 72 and Data Capture Devices 74, 76. The encryption devices 70, 72 provide added security to transmittal of data while the Data Capture Devices 74, 76 operate to capture images of the transactions or record the data from the gateways 66, 68 and the switches 54, 56.

WO 01/54026

PCT/US01/01688

Once the transactional data reaches the gateways 66, 68, the lowest cost routing method described above is employed at the gateway 66, 68. The transaction is then routed to the appropriate network 78, 80, 82, 84, 86.

5 While embodiments of the invention have been illustrated and described, it is not intended that these embodiments illustrate and describe all possible forms of the invention. Rather, the words used in the specification are words of description rather than limitation, and it is understood that various changes may be made without departing from the spirit and scope of the invention.

WO 01/54026

PCT/US01/01688

WHAT IS CLAIMED IS:

1. A method for processing debit transactions at the lowest cost available, the method comprising the steps of:

5 providing a merchant network list which corresponds to the merchant identification number, the merchant network list comprising networks available for access by the merchant;

providing a customer network list which corresponds to the customer account number, the customer network list comprising networks available for access by the account;

10 matching the elements of the merchant network list and the customer network list and generating a merchant-customer network list with the matched elements of the merchant network list and the customer network list;

communicating with a network information file and determining the validity for each element of the merchant-customer network list;

15 eliminating each invalid element from the merchant-customer network list;

sorting the elements of the merchant-customer network list based on cost;

20 communicating with a routing and processing database to determine a routing and processing method which corresponds to each element of the merchant-customer network list; and

applying the first routing and processing method to process a debit transaction and if the first routing and processing method is not available, applying the next ranked routing and processing method.

25 2. The method of claim 1, wherein the elements are sorted based on lowest cost.

3. The method of claim 1, wherein the merchant identification number uniquely identifies a merchant.

WO 01/54026

PCT/US01/01688

4. The method of claim 1, wherein the bank identification number file includes a bank identification number, an account number length, and a debit network list.

5. The method of claim 1, wherein the merchant network priority file includes the debit network priority codes defined to represent a particular set of debit networks.

6. The method of claim 5, wherein the network list is a list of debit networks associated with the merchant network priority identifier provided by the merchant.

7. The method of claim 1, wherein the network information file includes information for each of the debit networks, the merchant network priority file including a network identifier record, a transaction type list record and a fee record.

8. The method of claim 7, wherein the network identifier record is an identification number of a single debit network.

9. The method of claim 8, wherein the transaction type list record is a list of transaction types that the single debit network will accept.

10. The method of claim 8, wherein the fee record includes the fee that the single debit network charges for processing the transaction.

11. The method of claim 1, wherein the bank identification number file includes a bank identification number, an account number length, and a debit network list.

12. The method of claim 4, wherein the bank identification number constitutes a first plurality of numbers of the account and identifies a financial institution.

WO 01/54026

PCT/US01/01688

13. The method of claim 4, wherein the account number length is comprised of the length of account numbers associated with the designated bank identification number.

14. The method of claim 4, wherein the debit network list is comprised of a list of debit networks that are capable of processing account numbers associated with the designated bank identification number.

15. A system for processing an identified customer's transaction at an identified merchant based on cost, the system comprising:

a processor for matching the identified merchant with a network priority file containing a plurality of merchants and transaction types qualified for low cost processing;

a processor for generating a first list with the transaction types which are valid for the identified merchant if qualified for low cost processing;

a processor for matching an identified customer with a bank identification file including a bank identification number for the identified customers and a list of debit networks for processing those account numbers for the identified customers;

a processor for populating a second list with the debit networks listed for the identified customers;

a processor for intersecting the first list with the second list to generate a merchant-debit network list having the common elements of the first and second lists;

a processor for sorting the merchant-customer network list to assign a fee for the network processing through a low cost network; and

a processor for processing the customer's transaction through the lowest cost network.

16. The system of claim 15 including a device for determining a pseudo-terminal number for each lower cost network listed in the sorted merchant-customer network list.

WO 01/54026


PCT/US01/01688

17. The system of claim 16 including a processing device for populating a Generic Internal Message (GIM) list with at least some of the networks in the sorted merchant-customer network list qualifying as lower cost networks, said processing device processing the customer's transaction through the next lowest cost
5 network in the GIM list if the lowest cost network is unavailable.

WO 01/54026

PCT/US01/01688


1/3



WO 01/54026

PCT/US01/01688


2/3

*Fig. 2*

WO 01/54026

PCT/US01/01688

3/3



INTERNATIONAL SEARCH REPORT

International application No.
PCT/US01/01688RECEIVED
CENTRAL FAX CENTER
FEB 15 2005

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 17/60

US CL : 705/39

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 705/39

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EAST and WEST

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of documents, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P — Y,P	US 6,138,107 A (ELGAMAL et al) 24 OCTOBER 2000, col 10 lines 20-21; col 9 lines 1-2; col 9 lines 5-6; col 8 lines 51-52; col 9 lines 20-49; Fig 1/32/34; col 10 line 1-col 11 line 14; col 12 lines 10-40; Fig. 4; col 5 line 65-col 7 line 9; Fig 1/50 col 7 line 26; col 5 lines 43-46; col 5 lines 58-67; Fig 2	1-3; 5 — 4, 6-14
Y,P	US 6,138,907 A (MORI et. al.) 31 OCTOBER 2000, Fig 6/23; Fig 5(a)/14; col 5 lines 58-67; col 7 lines 37-49; col 12 line 12-col 13 line 14; col 5 lines 43-46; col 4 lines 47-57	4, 6-14

☐ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	*T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A document defining the general state of the art which is not considered to be of particular relevance	*X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E earlier document published on or after the international filing date	*Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*G document member of the same patent family
*O document referring to an oral disclosure, use, exhibition or other means	
*P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

23 FEBRUARY 2001

Date of mailing of the international search report

03 APR 2001

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

VINCENT MILLIN

Telephone No. (703) 308-1065

Form PCT/ISA/210 (second sheet) (July 1998) *